

Siting and design guidelines

for structures on Victorian Coast



May 2020

Photo credit - cover

Seaford Life Saving Club, Seaford

Architect: Robert Simeoni Architects, Photo: John Gollings

Aboriginal acknowledgment

The State Government proudly acknowledges the Traditional Owners of the Victorian marine and coastal environment as the traditional custodians of the land. We pay our respects to their ancestors and elders, past and present. We recognise and respect their unique cultural heritage, beliefs and relationship to their traditional lands, which continue to be important to them today. We recognise the intrinsic connection of Traditional Owners to their country and value the contribution their Caring for Country makes to the management of the land, its coastlines, its seas and its waterways. We support the need for genuine and lasting partnerships with Traditional Owners to understand their culture and connections to country in the way we plan for and manage the coast. We embrace the spirit of reconciliation, working towards equity of outcomes and ensuring an equal voice for Australia's first people.



© The State of Victoria Department of Environment, Land, Water and Planning 2020



This work is licensed under a Creative Commons Attribution 4.0 International licence. You are free to re-use the work under that licence, on the condition that you credit the State of Victoria as author. The licence does not apply to any images, photographs or branding, including the Victorian Coat of Arms, the Victorian Government logo and the Department of Environment, Land, Water and Planning (DELWP) logo. To view a copy of this licence, visit creativecommons.org/licenses/by/4.0/

ISBN 978-1-76077-572-8 (Print)

ISBN 978-1-76077-573-5 (Pdf/online)

Disclaimer

This publication may be of assistance to you but the State of Victoria and its employees do not guarantee that the publication is without flaw of any kind or is wholly appropriate for your particular purposes and therefore disclaims all liability for any error, loss or other consequence which may arise from you relying on any information in this publication.

Accessibility

If you would like to receive this publication in an alternative format, please telephone the DELWP Customer Service Centre on 136 186, or email customer.service@delwp.vic.gov.au, or via the National Relay Service on 133 677, www.relayservice.com.au. This document is also available on the internet at www.delwp.vic.gov.au

FOREWORD

Coastal projects form part of our experience of the coast and need to be carefully designed to enhance that experience and make a positive contribution to the environment. Every new project is a chance to contribute to our coastal cultural identity.

The Siting and Design Guidelines for Structures on the Victorian Coast aim to inspire a creative and innovative approach to development in the marine and coastal environment that is considerate of the natural and cultural values in response to climate change challenges and population growth.

Victorians can lead the way in siting and design by ensuring best practice is applied to all development on our coast. Over the coming 12 months, these guidelines will be further tested through targeted consultation with stakeholders to ensure they are contemporary and support implementation of the Marine and Coastal Policy 2020. Following this, and linked with the development of the Marine and Coastal Strategy in 2020, the guidelines will be updated as required.



CONTENTS



FOREWORD	1
CONTENTS	2
INTRODUCTION	4
ABOUT THE GUIDELINES	5
Where the guidelines apply	5
USERS	5
POLICY AND PLANNING FRAMEWORK	6
The Statewide Marine and Coastal Policy (State)	9
Regional and Strategic Partnership Products (Regional)	9
Coastal and Marine Management Plans (Local)	9
Approvals (Site)	9
Coastal consent	9
Planning permit	9
FIRST PRINCIPLES	10
Purpose and need	11
Climate change and adaptation	12
Footprint	13
SITING AND DESIGN FUNDAMENTALS	14
Prioritising the fundamentals	16
1. ABORIGINAL CULTURAL HERITAGE	22
2. COASTAL PROCESSES	24
3. GEOLOGY	28
4. MORPHOLOGY	34
5. HYDROLOGY	38
6. VEGETATION AND ECOLOGY	42
7. CLIMATIC CONDITIONS	46
8. VIEWS	50
9. PUBLIC OPEN SPACE	54
10. LOCAL CHARACTER AND SENSE OF PLACE	58
11. HERITAGE	60
12. PUBLIC ACCESS	64
13. INCREASED FUNCTION AND ADAPTABILITY	68
14. SUSTAINABILITY	74
15. MATERIALS AND FINISHES	78

INTRO

The coastline is one of Victoria's greatest natural assets. This fragile, dynamic and changeable environment is in high demand for a large range of uses.

The management challenge for such a popular yet vulnerable landscape is to adopt policies that will encourage compatible development that enables protection and enhances its natural qualities. These challenges mean we need to be smart in how we plan, design, build and manage structures on the coast.

This document provides a clear set of guidelines that consider siting and design challenges in response to pressures of population growth and climate change. It identifies successful practices to reduce the vulnerability of the coastline while managing coastal land and infrastructure, maintaining public access and enhancing visitor experience.

When we place structures in this environment, it has often been with the expectation that the coast will not move or the structure will be resistant to impact. As a consequence buildings and infrastructure are often damaged or compromised following storm events or erosion. Ideally, we want to avoid locating structures in the dynamic coastal zone, which includes sand dunes, beaches, cliffs and low-lying areas.

These Guidelines have been formulated to assist in achieving better quality outcomes in the coastal environment that respect its fragility and recognises its natural and cultural values.

It is essential that the Guidelines are considered in conjunction with the [Victorian Marine and Coastal Policy](#), which provides the policy directions for use and development in the marine and coastal environment.

DUCTION

ABOUT THE GUIDELINES

The Marine and Coastal Policy provides the policies for use and development on the coast. The Guidelines provide further details, examples of excellence and inspiration for how the policies apply.

The Guidelines apply to all development on Victoria's coast, whether on public or private land. They provide a set of fundamental considerations that underpin best practice for future use and development of structures and facilities on the coast.

The Guidelines are a tool to enable constructive conversations between proponents, the community and relevant authorities and land managers at an early stage in project planning to ensure that the expectations and constraints of building in a coastal environment are understood.

The Guidelines are not intended to duplicate information, standards or planning requirements detailed elsewhere. Given this, it is essential that all other relevant legislation, policies, strategies and plans are considered when planning to use or develop on the coast.

WHERE THE GUIDELINES APPLY

The Guidelines apply to the planning and management of matters relating to, and affecting, the marine and coastal environment.

As defined in the *Marine and Coastal Act 2018*, the marine and coastal environment includes all private and public land and waters between the outer limit of Victorian coastal water and five kilometres inland of the high-water mark of the sea, including:

a) The land (whether or not covered by water) to a depth of 200 metres below the surface of that land.

- b) Any water covering the land referred to in paragraph (a) above from time to time.
- c) The biodiversity associated with the land and water referred to in paragraphs a) and b).

References to 'the coast' includes coastal, estuarine and marine environments on public and private land.

The Guidelines also provide direction for coastal development proposals on private land, by informing the application of policies set out in the State Planning Policy Framework and Local Planning Policy Frameworks.

USERS

These Guidelines are to be used as the principle siting and design tool for individuals and groups who are developing proposals for structures on the coast. This includes groups or organisations such as:


- land managers
- local councils
- land use planners
- committees of management
- community groups (life saving clubs, yacht clubs)
- design consultants
- architects
- developers
- private land holders.

They are also to be used as an assessment tool for individuals and groups involved in assessment and approvals processes for development proposals on the coast, such as:

- state government department planners and managers
- local government planners and managers
- public authorities and agencies
- coastal volunteer committees of management
- Representative Aboriginal Parties.

POLICY & PLANNING FRAMEWORK

POLICY & PLANNING FRAMEWORK DIAGRAM



The *Marine and Coastal Act 2018* sets out the framework for marine and coastal planning and management in Victoria.

The Act requires a Policy to set out policies for planning and managing the marine and coastal environment, and to provide guidance to decision makers in achieving the Act's objectives.

The policy and planning framework is a **four-tiered system with state, regional, local and site policies, plans and approvals**. The framework closely aligns with the overall Victorian land planning system defined through the *Planning and Environment Act 1987*.

The Marine and Coastal Act 2018

The *Marine and Coastal Act 2018* sets out the legislative arrangements and framework for protecting and managing Victoria's marine and coastal environment. It includes objectives and guiding principles for the planning and management of the marine and coastal environment. The principles include:

- Integrated coastal zone management
- Ecosystem-based management
- Ecologically sustainable management
- Evidence-based decision-making
- Precautionary principle
- Proportionate and risk-based principle
- Adaptive management

These principles must be applied when planning for use or development of the marine and coastal environment.

The Statewide Marine and Coastal Policy (State)

The Marine and Coastal Policy guides decision makers in the planning, management and sustainable use of our coast and marine environment. It provides direction to decision makers including local councils and land managers on a range of issues such as dealing with the impacts of climate change, population growth and ageing coastal structures.

Regional and Strategic Partnership Products (Regional)

Regional and Strategic Partnerships (RASPs) are established to respond to an identified regional issue relating to or affecting the marine and coastal environment and/or prepare a product.

Coastal and Marine Management Plans (Local)

Coastal and Marine Management Plans are planning tools for local land managers and communities to implement the policy at a local level and direct future planning and management of marine and coastal Crown land.

Approval (Site)

In Victoria, proposals for the use and development of marine and coastal Crown land are considered under the legislative framework of the *Marine and Coastal Act 2018* and the *Planning and Environment Act 1987*.

Coastal consent

Under provisions of the *Marine and Coastal Act 2018*, all use and development on coastal Crown land requires consent of the Minister, or a delegate, through application to the Department of Environment, Land, Water and Planning (DELWP). A planning permit may also be required for use or development on marine and coastal Crown land. In this situation, the consent process is linked to the planning permit process through a referral under the *Planning and Environment Act 1987*.

Planning permit

Planning schemes are the primary tool for determining how land can be used and developed across a municipality. The relevant municipal planning scheme will determine if a planning permit is required. All planning permit applications are lodged with the local council, which may refer the application to an outside body such as DELWP.

In coastal areas, the local planning scheme may extend into the marine environment. In Port Phillip Bay, some municipal planning schemes extend 600 metres into the water.

Under section 61(3) of the *Planning and Environment Act 1987*, the local government planning authority cannot issue a planning permit on marine and coastal Crown land unless consent (under the *Marine and Coastal Act 2018*) has been issued. If the Minister (or delegate) refuses to issue coastal consent, the planning authority must also refuse to issue a planning permit.

Where a planning permit is not necessary, a marine and coastal consent is still required.

FIRST PRINCIPLES

PURPOSE AND NEED

Crown land reserves and foreshores in the marine and coastal environment are important publicly owned spaces with unique values and characteristics that are accessible and benefit all Victorians. However, this land is limited and may be further reduced as sea levels rise and the coastline retreats.

High demand for use and development of a limited and precious resource dictates that only structures that functionally need to be near water and that significantly contribute to social values, such as public enjoyment and appreciation of the coast, should be on marine and coastal Crown land. The following table gives a sense of what types of structures are appropriate:

Usually located on marine and coastal Crown land because they are functionally dependent on being on or near the water

- Jetty
- Bathing box and boat shed
- Pier
- Marina
- Mooring
- Boat ramp
- Harbour
- Navigation aids
- Life saving observation tower
- Access point and stairs

Provide support to the functioning of marine and coastal activities and may be appropriate in some marine and coastal Crown land locations

- Toilet facility
- Shared trails, boardwalks
- Car parking
- Marine rescue facility
- Lifesaving club room
- Public lookout
- Barbecue, picnic and play equipment
- Kiosk/café/restaurant (in an urban setting)
- Appropriate public camping facility

Examples of buildings and structures that do not support a coastal or marine activity and do not need to be located on marine and coastal Crown land:

- Non-water-based sporting facilities
- Non-maritime industrial plant and storage
- Community hall
- Commercial function centre
- Other utilities

In some instances, a town may have limited or unsuitable public land for use and development other than coastal Crown land. This is not sufficient reason on its own to use coastal Crown land for developments that do not have a functional need to be located on or near the water. When redevelopment opportunities arise alternative options, including removal and relocation, should be considered.

A proposal should also be considered in terms of its 'purpose and need'. For example, a life saving club redevelopment may include a lookout tower, toilet and change facilities, boat storage, gymnasium, restaurant and accommodation. However, only some of these elements need to be located at the site (such as the lookout tower). Other elements may support these coastal-dependent uses (e.g. boat storage and ancillary services) and may also be deemed suitable to be on the site. However, some elements (e.g. accommodation and gymnasium) do not fit the criteria of being dependent on the coast and are therefore not suitable.

Only the elements of the proposed structure that need to be located on coastal Crown land should be included in the design.

CLIMATE CHANGE AND ADAPTATION

Climate change is exacerbating existing threats (such as inundation and erosion) and introducing new threats (such as sea level rise and increased ocean temperatures). Sea level rise is leading to permanent and periodic inundation, and accelerated erosion rates, transforming Victoria's coastline.

Planning for new public facilities and structures, including access paths, roads, drainage systems and new private development, must consider how it will avoid increased coastal hazards and can be adapted over the life of the structure. Planning for new facilities should avoid development in areas identified as vulnerable to coastal hazard risks and from impacts such as erosion and flooding (both estuarine and coastal), inundation, landslips, landslides and geotechnical risk. If a new development requires a protective structure, then the location is unsuitable.

Existing infrastructure and public facilities, exposed to increasing hazards, will require careful consideration as to whether the structure or facility is still required. If required, is the current siting suitable or are there other more suitable and less vulnerable locations? Proponents need to demonstrate that alternative locations and opportunities have been considered before proceeding with plans to upgrade or rebuild. Any upgrade or rebuilding design must ensure that the structure can adapt to the anticipated increase in coastal hazards including sea level rise over the structures intended life span. Adaptation actions should be considered in the following order - non-intervention, avoid, nature based methods, accommodate, retreat and protect as defined in the Marine and Coastal Policy.

If a protective structure (eg. seawall, revetments, breakwaters and groynes) is required to support maintaining a facility in its current location then the location is unsuitable.

Climate change also elevates other risks on the coast, including bushfire. This poses other challenges of competing requirements where the need to maintain environmental values is in conflict with the requirements to achieve a safe and suitable built structure. State and local governments can provide specific information on requirements for managing bushfire risk.

The Guidelines encourage an innovative, agile and flexible approach to siting and design that responds to changing coastal conditions, reduces risk and achieves coastal resilience.

At the initial stage of the planning process, it is essential to discuss proposals with land managers and relevant authorities such as local planning authority and DELWP, before proceeding. Studies, such as coastal hazard assessments or coastal processes and geomorphology studies, may be required to determine if a structure is sustainable in the identified location.

At this initial stage of the planning process, the following questions may help proponents define the project objectives and set the parameters for further analysis:

- What is the primary purpose of the structure?
- What is the expected life span of the new structure?
- Will climate predictions (sea level rise, greater storm surge) affect the structure before its expected life cycle is met?
- Does cost of building and maintenance outweigh the benefits?

FOOTPRINT

New structures should minimise their footprint, including their height. The height and scale of any structure should be designed to be appropriate to its context as outlined in the following fundamentals. This will relate back to 'purpose and need' in terms of what is essential for that structure to function efficiently and effectively. Replacing or modifying an existing structure, should consolidate or minimise, the footprint and impact as far as possible. Consideration of the footprint should use marine and coastal Crown land efficiently and sparingly.

SUMMARY

- Only structures that functionally need to be located near or in the water, or that significantly contribute to social values, should be on marine and coastal Crown land
- Only the elements of the proposed structure that need to be located on marine and coastal Crown land should be included in the design
- Planning for new structures or the redevelopment of structures must consider how it will avoid vulnerable areas and adapt to increased coastal hazards.
- The design must ensure that the structure can adapt to the anticipated increase in coastal hazards including sea level rise over the structure's intended lifespan
- Options to **avoid** (for new structures), **remove, retreat or relocate** (for existing structures being updated/additional works) must be satisfied before proceeding.
- Most elements of the redesign of existing structures should be **located within the existing structural footprint**.
- The design of new structures should **minimise the footprint** (area and height).
- All new and renewing structures are subject to the **principles and fundamentals** outlined in these Guidelines.



SITING AND DESIGN FUNDA- MENTALS

Good design is informed by its location and responds to **site-specific environmental, social and cultural conditions**. Every site has a unique nature and it is important to understand the surrounding environment and character through a thorough site analysis.

These Guidelines are structured around 15 fundamentals that guide the design of every structure. Properly examining and addressing each fundamental forms the foundation for excellence in siting and design that is sympathetic to the coastal and marine landscape, and helps improve the natural environment and coastal character.

THE 15 FUNDAMENTAL ELEMENTS TO BE CONSIDERED ARE:

1	ABORIGINAL CULTURAL HERITAGE
2	COASTAL PROCESSES
3	GEOLOGY
4	MORPHOLOGY
5	HYDROLOGY
6	VEGETATION AND ECOLOGY
7	CLIMATIC CONDITIONS
8	VIEWS
9	PUBLIC OPEN SPACE
10	LOCAL CHARACTER AND SENSE OF PLACE
11	HERITAGE
12	PUBLIC ACCESS
13	INCREASED FUNCTION AND ADAPTABILITY
14	SUSTAINABILITY
15	MATERIALS AND FINISHES

PRIORITISING THE FUNDAMENTAL ELEMENTS

To achieve design excellence, all 15 fundamentals need to be carefully considered in the context of the site and its surrounds. However, due to the physical and local context, it can be challenging for all the fundamentals to be given the same weighting in the development or approval stage.

Table 1 will help prioritise the fundamentals. This prioritisation is based on the policy that a healthy, dynamic and biodiverse marine and coastal environment supports and maintains the important environmental, social, cultural and economic values.

TABLE 1: PRIORITISING THE FUNDAMENTALS

STEP	CONSIDERATION	FUNDAMENTAL
1	Is there a demonstrated need for the proposed structure (including all or any of its elements) to be on marine and coastal Crown land?	First principles – need, purpose, climate change and adaptation, physical footprint.
Do not proceed if the first principles cannot be met (in line with the Marine and Coastal Policy)		
2	Does the proposal ensure the protection of environmental and cultural values? Does the siting of the proposed development identify and avoid locations of coastal vulnerability and hazard?	<ol style="list-style-type: none"> 1. Aboriginal cultural heritage 2. Coastal processes 3. Geology 4. Morphology (form and line) 5. Hydrology 6. Vegetation and ecology 7. Climatic conditions
3	Is the proposal sympathetic to the local coastal character and sense of place? Does the proposed development provide positive public benefit, access and/or amenity?	<ol style="list-style-type: none"> 8. Views 9. Public open space 10. Local character and sense of place 11. Heritage 12. Public access
4	Does the proposed development ensure more efficient use of the site and contribute positively to the environment for the future?	<ol style="list-style-type: none"> 13. Increased function and adaptability 14. Sustainability 15. Materials and finishes

SITE ANALYSIS

TABLE 2: SUMMARY OF THE 15 FUNDAMENTAL ELEMENTS FOR SITE ANALYSIS AND SITING AND DESIGN CONSIDERATION FOR EACH PROPOSAL

FUNDAMENTAL		SITE ANALYSIS
1	ABORIGINAL CULTURAL HERITAGE	Engage early with Registered Aboriginal Parties and Traditional Owners on cultural heritage values relevant to place.
2	COASTAL PROCESSES	Identify the coastal processes of the site and in the surrounding coastal compartment cell. Identify any nearby coastal hazards, low-lying areas, or areas subject to flooding, erosion or landslip.
3	GEOLOGY	Identify the geology of the site and surrounding area.
4	MORPHOLOGY (FORM AND LINE)	Identify the dominant line of landform and vegetation, on and adjacent to the site and surrounding area. Identify the built form characteristics of nearby structures that contribute to the character of the local landscape.
5	HYDROLOGY	Identify all water sources and water movement patterns on site and in the surrounding area. Identify extent of seasonally wet areas.
6	VEGETATION AND ECOLOGY	Identify the main vegetation communities on site and in the surrounding area. Identify the fauna on site and in the surrounding area.
7	CLIMATIC CONDITIONS	Identify the climate conditions for each season, year round.

AND FUNDAMENTALS

SITING AND DESIGN CONSIDERATIONS

Can the development help protect and acknowledge tangible and intangible cultural heritage values?
Does the structure have a negative impact on Aboriginal cultural heritage places and values?

Does the structure avoid areas subject to coastal hazards?
Does the structure interfere with or impede natural coastal processes?
If the structure is for protection, does it avoid detrimental impacts on coastal processes?
Does the structure cause any detrimental impacts (in particular increased hazard risk) on neighbouring Crown private land?
What are the alternatives to replacing the current structure?
Can a compromise be achieved (e.g. temporary, seasonal or relocatable structure)?

Does the proposed construction respond sensitively to the underlying geology?
Does the design of the structure respond to the local geological character?

Is the form and line of the proposed structure sympathetic to the surrounding landscape and context?
Is the structure appropriate in scale, relative to the line of the landscape?
Does the structure contribute to a new form of coastal character where specific local character is undefined?

Does the structure respond to and accommodate natural drainage patterns?
Do the site and the proposed structure manage its water locally and without impact?
Does the proposal retain and re-use water on site?
Does the structure protect and respond to seasonally wet areas?

Has existing native vegetation been retained and protected?
Does the structure accommodate natural regeneration/planting of indigenous species?
Does the structure accommodate faunal paths and habitats?

Has the structure been sited and designed to maximise sun, wind and weather protection?
Does the structure provide external places of refuge and occupation protected from wind and sun?

FUNDAMENTAL

SITE ANALYSIS

8	VIEWS	Identify the main views and view lines to and from the site including views from off-shore. Assess views for local, regional, state or national significance.
9	PUBLIC OPEN SPACE	Identify the need for open space and signage/furniture.
10	LOCAL CHARACTER AND SENSE OF PLACE	Identify the local coastal character of the surrounding buildings and township.
11	HERITAGE	Identify the local heritage and cultural narratives of the site and area. Identify the heritage significance of existing structures and potential for adaptive re-use.
12	PUBLIC ACCESS	Identify the main public access paths and connections to and from the coast and around the site.
13	INCREASED FUNCTION AND ADAPTABILITY	Identify opportunities to combine the uses of buildings and structures of the site and structures surrounding the site.
14	SUSTAINABILITY	Identify opportunities for sustainable outcomes on site for water, energy and materials.
15	MATERIALS AND FINISHES	Identify the materials, colours and textures in the surrounding natural and built environments.

SITE AND DESIGN CONSIDERATIONS

Does the structure enrich and not impede views to and from the coast?
Does the structure maintain important public views, vistas and sightlines?

Does the development contribute to an uncluttered, clear and usable environment?

Does the structure blend with and complement the local coastal character?

Does the siting and design of the structure respect and accommodate archaeological features of the area?
Can the structure re-use and integrate existing heritage features into its construction?
Does the structure respond to any significant historic character of the area?

Does the structure enhance public access to the coast and minimise loss of open space?
Does the structure provide adequate connections to and from the site?
Does the structure impede public access to the coast?
Does the structure provide adequate access?

Does the structure make efficient use of the site and demonstrate multiple use?
Can the structure be adapted for future change?

Is the structure producing environmentally positive energy and water outcomes?
Does the siting and design of the structure optimise energy considerations like thermal performance, cross ventilation, and solar orientation and insulation?
Are the building materials from a sustainable source and demonstrating resilience in the coastal environment?

Are the materials, colours and textures representative of the coastal environment and setting?
Are the materials durable in the coastal environment?
Are the materials sustainable?

ABORIGINAL CULTURAL HERITAGE


WHAT

Traditional Owners have an inherent connection to country with a custodial role in protecting Victoria's coast and marine environment. Aboriginal heritage and cultural values play an important role in creating a sense of place and telling Victoria's unique stories.

WHY

Appropriate management of sites and values is required to ensure Traditional Owners' voices are heard and respected throughout planning and decision-making processes. Any development and structure must understand Traditional Owners' ongoing and enduring connection to the local coastal and marine environment and consider how the siting and design can reflect and respect this.





(Photo: Parks Victoria)

HOW

- Engage early with Registered Aboriginal Parties (RAPs) and/or Traditional Owners on tangible and intangible cultural heritage values relevant to place.
- Acknowledge and protect Aboriginal heritage places and values in a culturally appropriate manner.

COASTAL PROCESSES

WHAT

The coast is not static; it moves and changes with the influence of tides, waves and weather systems. Interactions between coastal processes and different landforms like sandy beaches, rocky headlands and mudflats create complex and dynamic systems.

The Victorian coast exhibits a range of landforms which continue to change in response to natural coastal processes. These processes can cause areas of the coast to both be lost (erosion) and gained (accretion). In some areas, natural coastal processes have been modified through human intervention, such as by the installation of coastal infrastructure (seawalls, groynes, boat ramps, etc).

WHY


Beaches and coastal dune systems provide habitat for flora and fauna. They are places for people to recreate and enjoy nature, and are a buffer and natural protection for public infrastructure, such as foreshore reserves, roads, community buildings and private residences. Coastal protection works, such as breakwaters, groynes or seawalls, are usually built to guard against erosion but in doing so they harden the coast and reduce its ability to adjust naturally. As a consequence, these defences can exacerbate erosion problems. Seawalls reflect and concentrate wave energy and erosion, and groynes impede downdrift of sediment, which leads to further erosion.

FUNDAMENTAL ELEMENT



In response to these dynamics, the Marine and Coastal Policy directs that new developments and redevelopments avoid areas vulnerable to coastal hazard risk, understand and respect marine and coastal functions and processes, and accommodate biodiversity connectivity and adaptation.

Consider environmentally friendly construction principles and alternative solutions to hard engineering options in locations where it is necessary to control erosion, e.g. mixed rock sizing for habitat, vegetation planting for soil stability, beach re-nourishment





The life-saving club structure minimizes its impact on the primary dune through the setback of the clubhouse behind the dune. A low impact, modular and movable observation structure provides an alternative to hard engineering options with the ability to be moved in response to dynamic natural coastal processes. (Inverloch Surf Life Saving Club, Victoria, Photo: DELWP)



Demonstrates an alternative engineering option for coastal protection rather than a seawall. (Carss Bush Park foreshore, Kogarah Bay NSW Photo: Tom Heath)

HOW

2

- Avoid the development of buildings structures and facilities in sand dunes, low-lying areas and areas susceptible to coastal hazard risk, including future coastal hazard risk.
- Consider environmentally friendly construction principles and alternative solutions to hard engineering options in locations where it is necessary to control erosion, e.g. mixed rock sizing for habitat, vegetation planting for soil stability, beach re-nourishment, and the incorporation of wetlands, marshes and mangroves.

GEOLOGY


WHAT

Geology determines bedrock and soil conditions, drainage patterns and vegetation. The structure and characteristics of the different rock and soil layers provide useful insights into processes acting on the site over time, and are indicators for appropriate structures, materials and construction techniques. The Victorian coast has many different rock, soil and substrate types. These include granite rock outcrops from volcanoes, limestone cliffs, sedimentary hills, sand dunes, and fine sediments in wetland areas.

WHY

Understanding the site's geology allows structural siting and design to 'fit' with the surrounding landscape and form a deep connection to place. Siting and designing structures for minimal impact can reflect the geology of the site. Geological insights introduce a 'sense of place' by using compatible materials, colours and textures.





Minimise disturbance to sites of geomorphological significance and fossils

Use construction techniques that maintain natural slope

Minimise cut and fill

Use materials that respond to character of the geology and substrate of the site and surrounding area

Site the structure to minimise disturbance to soil and vegetation



STRUCTURE AS ANOTHER LAYER IN THE STRATA

HORIZONTAL SOIL STRATIFICATION

GEOLOGICAL SUBSTRATE



HOW

3

- Use materials that respond to the character of the geology and substrate of the site and surrounding area.
- Site the structure to minimise disturbance to soil and vegetation.
- Minimise cut and fill.
- Use construction techniques that maintain natural slope.
- Minimise disturbance to sites of geomorphological significance and fossils.

Lookout design uses materials that are sympathetic to the local geology. Materials and simple geometric forms minimize site disturbance whilst maximizing viewing opportunities of the surrounding landscape. (Car de Creus Spain, Photo: Pau Ardevol)



Building materials respond to the natural geology and substrate of the site. The siting of the building encompasses natural geological formations and minimises disturbance to soil and vegetation. (Pound Ridge House, New York, Photo: Peter Aaron/OTTO/Raven & Snow)



Lookout design uses materials that integrate with the site geology and surrounding landscape. Siting minimizes ground disturbance and maintains natural slope.
(The Askvagen Outlook, Norway, Photo: Roger Ellingsen)

MORPHOLOGY

WHAT


Morphology is the shape and character of the land formed through the interaction of water, rain, weathering and earth movement. This can appear as plains and mountains or smaller features, such as hills and valleys. Morphology includes both the form of the underlying landscape (e.g. slopes and hills) and line of above-ground site features (e.g. tree masses, vegetation forms and buildings).

WHY

Understanding morphology allows the design to follow the dominant form and line of the site, and its surrounds. It helps the structure to integrate into and maintain the coastal landscape and character, and to complement the surrounding area.


FUNDAMENTAL ELEMENT

4



BUILDING FORM DOES NOT BREAK CANOPY LINE

LINEAR FORM ENHANCES LINE OF BROADER LANDSCAPE



Maintain and enhance the line of the coastal landscape, particularly the long, horizontal banding established by vegetation layers

Avoid development on ridge lines and primary coastal dune systems

Avoid breaks in the canopy-line of vegetated areas

In predominantly natural areas, the form and line of structures should relate to the vegetation shape, landform and local landscape

In more built-up areas, ensure that the design of buildings is responsive to the existing urban and landscape character of the area. In flat areas with low vegetation, low single-storey structures to fit with the surrounds



Foreshore



LONG HORIZONTAL LINES OF COASTAL LANDSCAPE



The low-lying rectangular form of the building reinforces the long horizontal vistas and low vegetation of the landscape. The structure fits with the low vegetation and dune landform of its surrounds. (Seaford Life Saving Club, Seaford, Photo: John Gollings)

HOW

4

- **Maintain and enhance the line of the coastal landscape, particularly the long, horizontal banding established by vegetation layers.**
- **Avoid breaks in the canopy-line of vegetated areas.**
- **Avoid development on ridgelines and primary coastal dune systems.**
- **In more built-up areas, ensure that the design of buildings is responsive to the existing urban and landscape character of the area.**

In predominantly natural areas, the form and line of structures should relate to the vegetation shape, landform and local landscape. For example:

- **in flat areas with low vegetation, low single-storey structures to fit with the surrounds**
- **in sloping treed locations, split-level buildings with roof lines that follow the slope and vegetation.**



The visitor centre structure uses the form of the building as a response to the lines of the surrounding landscape. The siting responds to the natural landscape and local morphology. (The Trollisgen Visitor Centre, Romsdalen, Norway, Photo: Jarle Waehler)

HYDROLOGY

WHAT


Hydrology is the movement, distribution and quality of surface, ground and marine waters, on and through a site. Water catchments are connected from top to bottom so what happens throughout the catchment has a strong influence on water quality in the coastal, estuarine and marine environments.


WHY

Healthy wetlands, estuaries and the marine environment maintain coastal biodiversity and, in turn, provide safe and clean swimming, recreational and commercial fishing, and tourism opportunities. Good water quality is essential for these environments and activities.

One of the greatest threats to marine environments is pollution associated with land use and development in the catchment. Urban run-off contains accumulated pollutants, nitrogen, phosphorus, suspended soils, organic matter and heavy metals. Depending on their siting and design, structures on the coast can contribute positively or negatively to maintaining good water quality and managing the site hydrology for minimum impact.

FUNDAMENTAL ELEMENT






Maintain natural water movement to existing vegetation


Accomodate and maintain the natural drainage patterns of the area

Identify stormwater and surface run-off paths and design for the interception and treatment of these prior to entering a waterway

Hold and re-use water on site to eliminate increased run-off

Minimise impervious surfaces





HOW

5

- Identify the catchment in which the site is located.
- Accommodate and maintain the natural drainage patterns of the area.
- Maintain natural water movement to existing vegetation.
- Identify stormwater and surface run-off paths and design for the interception and treatment of these prior to entering a waterway.
- Minimise impervious surfaces.
- Hold and re-use water on site to eliminate increased run-off.



The boardwalk infrastructure accommodates and maintains natural drainage patterns and site vegetation while providing access and viewing opportunities. (Bittern Coastal Wetlands Walk, Hastings, Photos: Katherine Cooper)

VEGETATION AND ECOLOGY

WHAT

Our coast has a wide range of habitats, including marine waters, beaches, dune systems, woodlands, windswept cliff tops, heathlands and dry forests. Each supports a diversity of plants and animals, including migratory shorebirds and seabirds. In terms of vegetation, wind, salt and unstable low nutrient soils made largely of sand that hold little water are the critical influences on the vegetation of the coast and plant communities. This also includes marine and estuarine environments which support fragile seagrass and mangrove communities.

WHY

For siting and design, vegetation plays an important role in creating landscape character and defining elements of line, form, texture and colour. While management practices such as fuel reduction and weed management are necessary, vegetation also plays an important role in binding soils and sands, and helps prevent erosion by slowing soil movement.

A challenge for coastal managers is to maintain healthy and diverse coastal ecosystems in areas where access to the coast is in high demand. Population growth, increasing use and development, pests, weeds and a changing climate all threaten marine and coastal ecosystems and the biodiversity of an area.

FUNDAMENTAL ELEMENT

6

NATURAL REGENERATION WITH NATIVE SPECIES

MAINTAINING VEGETATION LINE




Encourage natural regeneration and extensive replanting of native species (replace)

Minimise disturbance to natural vegetation by grouping structures and providing common access points (minimise)

If replanting, use native species, where possible of local provenance, and restore the natural hierarchy of trees, shrubs and groundcovers

Minimise loss of vegetation during construction (including in the marine environment)

Design plantings (or utilize existing plantings) to direct access and movement



CAPTURING VIEWS

RESPONDS TO TOPOGRAPHY / MINIMAL DISTURBANCE TO SITE

The building design incorporated modules which were carefully airlifted into place to minimize any impact on existing vegetation. Structures are grouped with common and carefully sited access boardwalks. (The Standing Camp – krakani lumi, wukalina, Mt William National Park, Tasmania Architect: Taylor and Hinds Architects, Photo: Adam Gibson)




(Photo: Jordan Davis)



HOW

6

- Site and design structures to avoid impacts on existing vegetation (avoid).
- Minimise disturbance to native vegetation by grouping structures and providing common access points (minimise).
- Encourage natural regeneration and extensive replanting of native species (replace).
- Design plantings (or utilise existing plantings) to direct access and movement.
- If replanting, use native species, where possible of local provenance, and restore the natural hierarchy of trees, shrubs and groundcovers.
- Minimise loss of vegetation during construction, including marine and estuarine vegetation communities such as seagrass, saltmarsh and mangroves.



Site Plan
(The Standing Camp – krakani lumi
wukalina, Mt William National Park, Tasmania
Architect: Taylor and Hinds Architects)



Structures have been designed and sited for minimal disturbance to existing vegetation. Existing vegetation has been incorporated into the design to direct access and frame views of the main pavilion.
(Photo: Adam Gibson)

CLIMATIC CONDITIONS

WHAT


Climatic conditions include the impact and influence of wind, weather and sun on buildings and the surrounding environment, which influences heating, cooling, shade and the amenity of structures. Useful local climate information includes temperature and humidity range (seasonal and diurnal, i.e. day–night); direction of cooling breezes, hot, cold and wet winds; seasonal characteristics; extremes; and the impact of adjacent buildings and existing landscape. Wind and shade are critical considerations in the coastal environment for structural integrity, siting and design.

Wind force and exposure depends on the individual site and its aspect. Structures in coastal areas that are adjacent to flat expanses of water (which offer little resistance to wind speed) are more exposed to wind forces and solar reflection. Buildings on cliff tops and bluffs are even more exposed due to accelerating winds on the cliff-face and their height above the natural terrain.

WHY

Well-orientated structures and spaces provide better amenity. They can reduce or even eliminate the need for auxiliary heating and cooling, deliver lower energy consumption and cost, reduce greenhouse gas emissions and increase comfort. The need for ongoing maintenance in a harsh marine environment may also be reduced by siting a building to minimise the impacts of exposure to wind and other elements.

WIND



Manage wind and solar exposure through consideration of planting vegetation on the windward side of buildings


Manage wind and solar exposure through consideration of setting structures as far back from the shoreline as possible and siting structures away from elevated, exposed sites

Facilitate cross-ventilation by appropriate location of windows and doors that open

Minimise heat loss with insulation of walls, floors and ceilings

Make use of the thermal capacity and performance of building materials to minimise internal temperature fluctuations

SOLAR



Maximise winter sun with careful structural orientation and siting, and solar orientation of windows and other openings

Locate building entries and openings on the leeward side, with a preference for areas that provide winter sun and summer shade

HOW

- Optimise thermal performance and natural light.
- Where internal comfort is important, the design should:
 - maximise winter sun with careful structural orientation and siting, and solar orientation of windows and other openings
 - minimise heat loss with insulation of walls, floors and ceilings
 - facilitate cross-ventilation by appropriate location of windows and doors
 - make use of the thermal capacity and performance of building materials to minimise internal temperature fluctuations.
- Manage exposure to wind and solar by considering:
 - setting structures as far back from the shoreline as possible
 - siting structures away from elevated, exposed sites

grouping buildings

 - planting vegetation on the windward side
 - locating building entries and openings on the leeward side, with a preference for areas that provide winter sun and summer shade.



The building design optimizes thermal performance and natural light through the use of movable timber batten screens. Internal spaces can be adapted to maximise thermal comfort by moving the screens according to season and time of day. (Seaford Life Saving Club, Seaford, Design: Robert Simeoni Architects, Photo: John Gollings)



Exposure to wind and solar penetration is managed through careful orientation of building elements. (Seaford Life Saving Club, Seaford, Design: Robert Simeoni Architects, Photo: John Gollings)

Timber batten screens optimize natural light and facilitate cross ventilation but can be adjusted to provide protection from prevailing winds or shield against summer sun. (Seaford Life Saving Club, Seaford, Design: Robert Simeoni Architects, Photo: John Gollings)


VIEWS

WHAT

Views of the ocean, beach, coastal lakes, estuaries and hinterland hills are important aspects of living on, visiting and using the coast. Victoria has many spectacular views of the ocean and different landscapes, including Port Phillip Heads, the Twelve Apostles, the Great Ocean Road, the wilderness coast near Mallacoota Inlet and the Gippsland Lakes. Significant landscapes and views have been identified in a number of landscape assessment studies. Some of this information has been translated into planning schemes and forms an important consideration for permit approvals.

WHY

Ocean and beach views greatly enrich our coastal experience and connection with nature. It is important to frame, maintain and optimise existing views of unique features through careful siting and design that does not involve the removal of vegetation or intrusion into existing or potential view lines. Our preference for being able to see the ocean and coast is reflected in property prices, where the cost of properties with ocean and beach views is considerably higher than elsewhere. We are fortunate that most of our coast is in public ownership so everyone can enjoy coastal views without a prohibitive cost. It is crucial we maintain existing views and ensure that structures do not detract from our viewing experience.



Maximise public viewing opportunities of attractive natural features (dunes, the ocean, bluffs and estuaries)




Avoid development on ridgelines and primary coastal dune systems




Retain existing views to and from the water or along the coast

Enrich and frame existing views to and from the coast

Locate structures so that they are visually unobtrusive from public areas of beach, foreshore and the water






Structure enriches and frames views to and from the water without intruding into the natural landscape. (Trail head, shelter and wayfinding GASP Tasmania, Photo: Ben Hosking)

HOW

8

- Minimise intrusions into public views of the natural environment.
- Retain important public views to and from the water or along the coast.
- Enrich and frame existing public views to and from the coast.
- Locate structures so that they are visually unobtrusive from public areas of beach, foreshore and the water.
- Minimise and group vertical elements (poles, signs, communications towers).

The simple horizontal surface of these stairs provides multi-functional seating and public viewing opportunities whilst minimizing intrusions into views of the natural environment. (The rest area in Kleivodden, Norway Photo: Jarle Waehler)



Structure is sited to fit seamlessly into the natural landscape whilst simultaneously enriching and framing views to and from the coast. (Shelter at GASP, Tasmania, photo: Ben Hosking)

PUBLIC OPEN SPACE

WHAT


Public open space should be designed to optimise our visual and spatial experience. Our experience should include a clear sense of vehicle and pedestrian routes that are organised to contain a sequence of events and views along the way. Larger open spaces can be organised into a series of small interrelated spaces to provide convenience to different groups and users, as well as privacy in a secure environment.

We need to optimise compatibility between and within activities. For example, supervision areas should not be separated from playground equipment by a bike path. The placement of furniture and signs should also be carefully coordinated to optimise views.


WHY

Open space developments need to function well and cater for a variety of uses. Shade, seating, safe surfaces, comfortable gradation of paths and protection from loud noise should all be considered when designing public open space.





The boardwalk optimizes compatible activities through the integration of infrastructure (board walk), furniture (seats) and open space to provide a series of interrelated community spaces and activity areas. The boardwalk provides a clear sense of arrival and pedestrian access to the foreshore. (Keast Park Boardwalk Carrum, Victoria, Design: Site Office Landscape Architects, Photo: Cory Manson)




The siting and design of this pathway encompasses a sequence of visual and spatial experiences that locates furniture and other elements so they do not intrude into the landscape.
(Rest area in Kleivodden, Norway Photo: Roger Ellingsen)

HOW

9

- Create a clear sense of arrival, and pedestrian routes that provide a sequence of visual and spatial experiences.
- Set carparking back as far as possible from the shoreline.
- Encourage off-site carparking with minimal on-site arrangements for service, emergency and drop-off access.
- Identify and provide for user groups in inter-related spaces.
- Optimise compatible activities and inter-activity relationships.
- Locate furniture, signage and other landscape elements so they complement circulation and interconnectivity patterns.



This bush trail and seating area incorporates a series of lookouts and boardwalks that have been sited and designed to provide for user groups without impeding views to and from the water and surrounding landscape. (The Narabeen Lagoon Multi-use Trail, NSW, Photo: Simon Wood)

LOCAL CHARACTER AND SENSE OF PLACE

WHAT

Victorians value the often long-standing character of coastal settlements (Ipsos, 2012). There also continues to be strong support for maintaining coastal character through inland development, rather than creating continuous urban settlements along the coast.

At a local scale, it is important that a particular character of a coastal town or the elements that create its 'sense of place' are not compromised by the poor siting and design of structures.

WHY

Our affinity for the sea and its resources continues to draw people to the coast. Increasing numbers of tourists and those wanting a 'sea change' are creating pressure for increased development in coastal settlements. Associated urban and landscape changes associated with such development often threaten the very qualities that make up the character and attraction of a place. In particular, the local natural beauty, cultural connections and fragile ecosystems need to be carefully considered.





HOW

10

- Consider the distinctive environmental, social and cultural features contributing to the character of place (geology, ecology and architecture).
- Design structures to fit and blend with the surrounding character and landscape.
- Avoid extreme contrasts in design, scale and shape.
- Avoid visual prominence in highly visible locations.

The viewing tower resembles the 2 lighthouses of Queenscliff and provides a link back to the town and local setting. The harbour includes cafes and restaurants and allows direct public access to the water to support broader use and enjoyment of the area. (Photo: Sophie Noss)

HERITAGE

WHAT

Coastal heritage values characterise and help form our sense of place, and can take both physical and spiritual forms. Heritage also drives regional development and tourism. Heritage places include:

- recreational assets
- Aboriginal places
- early settlements
- ports
- maritime infrastructure, such as piers, jetties, lighthouses and historic shipwrecks.

WHY


Development and infrastructure works affect coastal character and heritage values. Buildings and structures that are not sensitive to these values can harm them. Structures that are too large or that dominate specific heritage sites may not suit their context, e.g. large suburban buildings in a place with a small coastal village character. Any development or structure plans must understand the local coastal narrative and history, and consider how the siting and design can reflect this.

Reflect local histories and narratives





Consider appropriate adaptive re-use where heritage places are no longer required for their original purpose

Reflect local histories and narratives




Existing heritage elements



This pedestrian and cycling bridge is built alongside a reconstructed heritage timber road bridge. It's contemporary structure adapts to new use of place whilst reflecting local history and narrative in its material and aesthetic qualities (The William Buckley Bridge, Barwon Heads, Victoria, Design: Peter Elliot Architecture + Urban Design, Photo: Sean McPhillips)

HOW

- Identify and protect heritage places.
- Reflect local histories and narrative.
- Consider appropriate, adaptive re-uses where heritage places are no longer required for their original purpose.
- Avoid dominate structures that are not sympathetic to local heritage or character.



Elevation
 (The Standing Camp – krakani lumi
 wukalina, Mt William National Park, Tasmania
 Architect: Taylor and Hinds Architects)



In this structure indigenous cultural heritage is expressed and embedded in an integrated approach where the proportions and materials are inspired by the form and qualities of the traditional seasonal shelters of Tasmania's first peoples. (The Standing Camp – krakani lumi, wukalina, Mt William National Park, Tasmania, Architect: Taylor and Hinds Architects, Photo: Adam Gibson)

The exterior charred 'skin', of these structures embeds the story of the Aboriginal community while at the same time resonating with the natural and cultural setting. (Photo: Adam Gibson)

PUBLIC ACCESS

WHAT

Victorians are fortunate to have 96 per cent of coastal foreshore in public ownership. Many parts of the coast are very accessible with high-quality facilities. Access to the coast can be provided for pedestrian, vehicular and marine uses and activities at appropriate locations.

WHY

New development or redevelopment of buildings and structures should be sited and designed to allow public access to, from and along the coast for a range of people and their abilities.

The proposal should not impede public access to and along the shoreline except where access control is the main purpose


Ensure vehicular, bicycle and pedestrian pathways avoid obstruction and conflict and encourage smooth movement to, from and through the site



Where possible, single access points to the shoreline should serve groups of structures and infrastructure (car parks etc.)


Where possible, incorporate the needs of people with varied levels of ability or physical capacity

Direct paths and development away from environmentally sensitive areas and are set back as far as possible from the shoreline



HOW

- Do not impede public access to and along the shoreline, except where access control is the main purpose.
- Direct paths away from environmentally sensitive areas and avoid areas of coastal hazard.
- Ensure access protects cultural and heritage values.
- Where possible, single access points to the shoreline should serve groups of structures and infrastructure (car parks, etc).
- Ensure vehicular, bicycle and pedestrian pathways avoid obstruction and conflict and encourage smooth movement to, from and through the site.
- Where possible, incorporate the needs of people with varied levels of ability or physical capacity.



The boardwalk provides a single access point to the shoreline protecting environmentally sensitive areas. (The McCullough Avenue Boardwalk, Victoria, Design: Site Office Landscape Architects, Photo: Lisbeth Grosmann)



The boardwalk protects the coastal dunes from intrusion and erosion by encouraging clear and controlled movement to and from the beach. (Photo: Lisbeth Grosmann)

INCREASED FUNCTION AND ADAPTABILITY

WHAT

The coast is constantly changing as a result of its dynamic physical character and changes in use over time. Given the high value placed on marine and coastal Crown land, structures should be sited and designed to not only complement and integrate existing functions but also to embed the consideration of future adaptation needs into their structural and locational foundation.

WHY

Coastal land is limited and demand for its use and development is high. It is also a sensitive and dynamic environment. Development needs to demonstrate maximum efficiency of use and flexibility of design. Coastal structures need to recognise an impermanent future and demonstrate innovation, agility and adaptability in siting and design that responds to changing coastal conditions, reduces risk and achieves coastal resilience.





An innovative sea wall at Sorrento demonstrates increased function with seating and viewing opportunities that at the same time minimises impacts of wave energy and protects coastal values. (Maw Civil Marine, Photo: Simon Bulk)



CLIMATE CONTROL

LOCAL/ RECYCLED
MATERIALS

WETLAND TO REPLACE
TRADITIONAL STORMWATER
OUTFALL

INCREASED BIODIVERSITY

ELEVATED BOARDWALK
PROMOTES USEABILITY
AND SUSTAINABILITY

HOW

13

- Avoid development where a protective structure is required to support a use or development on the coast or in the marine environment.
- Consider options to use nature-based adaptation methods or the removal, retreat or relocation of structures.
- Promote the grouping of structures, clustering of activities and shared use of facilities.
- Facilitate the rationalisation of existing buildings and car parks.
- Incorporate innovative construction techniques and materials to maximise flexibility of the structure.
- Consider relocatable or temporary structures that accommodate seasonal and peak use periods.



This structure incorporates innovative construction techniques to adapt to local conditions of erosion and sea level rise. The pavilion is perched on two thick wooden sleds which maximise flexibility by allowing movement around the beach as erosion or weather conditions dictate. (The Whanapoua Sled House, Coromandel Peninsula, New Zealand, Photo: Simon Devitt)



Deeper consideration of seawall structure demonstrates a layering of functions including coastal protection, coastal ecologies, use and access. (Carss Bush Park, Kogarah Bay NSW, Photo: Tom Heath)



The structure is a compact building featuring sustainable water-saving waste treatment system and flexible screens. It uses ecologically friendly materials and incorporates sustainable, closed-loop systems (a worm tank system to treat waste and two tanks for grey water that can be recycled). When not in use the building is 'boarded up' and blends in amongst the dunes. (The Whanapoua Sled House, Coromandel Peninsula, New Zealand, Photo: Jackie Meiring)

SUSTAINABILITY

WHAT

Services and utilities, including drainage, water usage and sanitation, have to be considered as part of siting and design. Traditionally, service infrastructure and building energy/heating and cooling systems have responded to immediate functional requirements with little consideration for their broader negative environmental impacts or impacts on coastal amenity.


WHY

Sustainably based solutions for the siting and design of structures are critical to reduce impacts on, and degradation of, the coastal environment. Climate change events, including storm surges and subsequent erosion, have placed greater stress on the fragile coastal system. In this context, it is imperative that all design is based on ecologically sustainable principles that harness the value of local environmental conditions and processes to promote an environmentally positive outcome.




Use ecologically-friendly materials like those with low embodied energy, and recycled and recyclable materials

Optimise building energy considerations, including thermal performance, cross ventilation, solar orientation and insulation




TRADITIONAL APPROACH



Introduce sustainable, closed-loop systems including wind for power generation, solar for hot water, composting toilets, and collection, storage and re-use of water on site


SUSTAINABLE APPROACH




HOW

14

- Replace traditional services with sustainable closed-loop systems, including the use of wind for power generation; solar for hot water; composting toilets; and collection, storage and re-use of water on-site.
- Optimise building energy considerations, including thermal performance, cross ventilation, solar orientation and insulation.
- Replace traditional stormwater outfalls with wetlands and biofiltration systems to enhance vegetation and habitat, and ensure environmentally responsible discharge of water.
- Use ecologically friendly materials, such as low embodied energy materials, recycled/recyclable materials.



Replace traditional stormwater outfalls with wetlands and biofiltration systems to enhance vegetation and habitat, and ensure environmentally-responsible discharge of water



MATERIALS AND FINISHES

WHAT

The coastal landscape character of an area is expressed in its dominant colours and textures. Culturally modified areas have their own specific character based on past industry and land use, and associated appropriation of local materials. Some areas have a strong sense of place based on this character, often celebrating and reinforcing local geology.

WHY

While materiality is critical to a sense of place on the coast, so is the durability of materials used. Wave attack, winds, sand movement and corrosion take their toll, as does heavy public usage.

HOW

15

- Use materials sympathetic to the coastal environment.
- Use the local colours and textures for any new structure.
- Use durable materials, fittings and finishes developed specifically for a coastal environment.
- Use low-embodied energy, recycled and locally-sourced materials where possible.

STANDARD MATERIALS PALETTE



Hardwood timber - plantation - grown and recycled timber treated for protection from insects and decay - Red Gum, Jarrah and Tallowood are most durable and suitable for structure is the water.
Photo: John Gollings



Reinforced polymer mesh - lightweight - chosen for its excellent anti-corrosive and low maintenance properties.
Photo: Roger Ellingsen



Steel - structural grade and hot dip galvanised as per AS/NZ 4680 for superior performance and powder coated for corrosive protection.
Photo: Jarle Waehler



Concrete - durable providing there is adequate cover to all reinforcement to prevent corrosion. Photo: Jarle Waehler



Glass - needs special consideration to avoid glare and reflection. Photo: Peter Aaron



Natural stonework - very durable and requires no special treatment. Photo: EMF Architects

